Journal of MOLECULAR BIOLOGY

LIBRARY USE ONLY

UNIVERSITY OF HAWAII LIBRARY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
D. Baltimore
D. Branton
C. R. Cantor
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. Felsenfeld
G. A. Gilbert
A. Klug
D. E. Koshland
S. Lowey
D. Nathans
D. C. Phillips
C. M. Radding
T. Staehelin
G. M. Tomkins
P. M. B. Walker

VOLUME 78
25 July 1973 to 25 August 1973

QH301
J12



ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1974, by Academic Press Inc. (London) Ltd.
ALL RIGHTS RESERVED
No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 78

NUMBER 1, 25 JULY 1973

WU, M. and DAVIDSON, N., A Technique for Mapping Transfer RNA Genes by Electron Microscopy of Hybrids of Ferritin-labeled Transfer RNA and DNA: the ϕ80hp$su_{III}^{+}{}^{-}$ System 1

WU, M., DAVIDSON, N. and CARBON, J., Physical Mapping of the Transfer RNA Genes on λh80d$glyTsu_{36}^{+}$ 23

WU, M. and DAVIDSON, N., Secondary Structure in Transfer RNA Genes . 35

MEINKE, W., HALL, M. R., GOLDSTEIN, D. A., KOHNE, D. E. and LERNER, R. A., Physical Properties of Cytoplasmic Membrane-associated DNA . . 43

SHULMAN, R. G., HILBERS, C. W., KEARNS, D. R., REID, B. R. and WONG, Y. P., Ring-current Shifts in the 300 MHz Nuclear Magnetic Resonance Spectra of Six Purified Transfer RNA Molecules 57

LIGHTFOOT, D. R., WONG, K. L., KEARNS, D. R., REID, B. R. and SHULMAN, R. G., Assignment of the Low Field Proton Nuclear Magnetic Resonance Spectrum of Yeast Phenylalanine Transfer RNA to Specific Base Pairs . 71

HOLMQUIST, R., JUKES, T. H. and PANGBURN, S., Evolution of Transfer RNA 91

BECK, C., INGRAHAM, J., MAALØE, O. and NEUHARD, J., Relationship between the Concentration of Nucleoside Triphosphates and the Rate of Synthesis of RNA 117

CHENG, T.-C. and MCALLISTER, H. C., A Protein Fraction of the 60 S Subunit from Reticulocyte Ribosomes associated with Acceptor-site Binding Activity 123

CHAKRABARTI, B. and BALAZS, E. A., Optical Properties of Hyaluronic Acid. Ultraviolet Circular Dichroism and Optical Rotatory Dispersion . . 135

COLLINS, J. and PRITCHARD, R. H., Relationship between Chromosome Replication and F′ *lac* Episome Replication in *Escherichia coli* . . . 143

SHERMAN, F., LIEBMAN, S. W., STEWART, J. W. and JACKSON, M., Tyrosine Substitutions resulting from Suppression of Amber Mutants of Iso-1-cytochrome *c* in Yeast 157

STEWART, J. W. and SHERMAN, F., Confirmation of UAG as a Nonsense Codon in Bakers' Yeast by Amino Acid Replacements of Glutamic Acid 71 in Iso-1-cytochrome *c* 169

RYTER, A., HIROTA, Y. and SCHWARZ, U., Process of Cellular Division in *Escherichia coli* Growth Pattern of *E. coli* Murein 185

KOLODNY, G. M., Transfer of Cytoplasmic and Nuclear Proteins between Cells in Culture 197

MARUNOUCHI, T. and MESSER, W., Replication of a Specific Terminal Chromosome Segment in *Escherichia coli* which is required for Cell Division . 211

LETTERS TO THE EDITOR

MILEWSKI, E. and KOHIYAMA, M., Isolation of a DNA Polymerase Fraction active with Single-strand DNA and stimulated by ATP. . . . 229

CHEEVERS, W. P. and HISCOCK, J. B., DNA Synthesis in Polyoma Virus Infection. II. Relationship between Viral DNA Replication and Initiation of Cellular DNA Replicons 237

NUMBER 2, 5 AUGUST 1973

LANG, D., Regular Superstructures of Purified DNA in Ethanolic Solutions . 247

RICHARDS, K. E., WILLIAMS, R. C. and CALENDAR, R., Mode of DNA Packing within Bacteriophage Heads 255

CORDEIRO, M. and MENEGHINI, R., The Rate of DNA Replication in the Polytene Chromosomes of *Rhynchosciara angelae* 261

LEDERMAN, M. and ATTARDI, G., Expression of the Mitochondrial Genome in HeLa Cells. XVI. Electrophoretic Properties of the Products of *in vivo* and *in vitro* Mitochondrial Protein Synthesis. 275

MAZUR, B. J. and MODEL, P., Regulation of Coliphage f1 Single-stranded DNA Synthesis by a DNA-binding Protein 285

GRALLA, J. and CROTHERS, D. M., Free Energy of Imperfect Nucleic Acid Helices. III. Small Internal Loops resulting from Mismatches . . 301

Appendix: Corrections to the All-or-none Approximation . . . 316

SINGER, R. H. and PENMAN, S., Messenger RNA in HeLa Cells: Kinetics of Formation and Decay 321

NAGLEY, P., GINGOLD, E. B., LUKINS, H. B. and LINNANE, A. W., Biogenesis of Mitochondria. XXV. Studies on the Mitochondrial Genomes of Petite Mutants of Yeast using Ethidium Bromide as a Probe 335

ELETR, S., ZAKIM, D. and VESSEY, D. A., A Spin-label Study of the Role of Phospholipids in the Regulation of Membrane-bound Microsomal Enzymes 351

Danna, K. J., Sack, G. H., Jr and Nathans, D., Studies of Simian Virus 40 DNA. VII. A Cleavage Map of the SV40 Genome 363

Khoury, G., Martin, M. A., Lee, T. N. H., Danna, K. J. and Nathans, D., A Map of Simian Virus 40 Transcription Sites expressed in Productively Infected Cells 377

Letter to the Editor

Dore, E., Frontali, C. and Notargiacomo, S., Electron Microscopic Observation of DNA Condensates at Low pH Values . . . 391

Announcement 395

Number 3, 15 August 1973

Brown, D. D. and Sugimoto, K., 5 S DNAs of *Xenopus laevis* and *Xenopus mulleri*: Evolution of a Gene Family 397

Razin, A., Sedat, J. W. and Sinsheimer, R. L., *In vivo* Methylation of Replicating Bacteriophage ϕX174 DNA 417

Sarathy, P. V. and Siddiqi, O., DNA Synthesis during Bacterial Conjugation. I. Effect of Mating on DNA Replication in *Escherichia coli* Hfr . . 427

Sarathy, P. V. and Siddiqi, O., DNA Synthesis during Bacterial Conjugation. II. Is DNA Replication in the Hfr Obligatory for Chromosome Transfer? 443

Lobban, P. E. and Kaiser, A. D., Enzymatic End-to-end Joining of DNA Molecules 453

Wittes, R. E. and Kidwell, W. R., A Kinetic Approach to the Determination of the S Phase Pool Size of Thymidine Triphosphate in Exponentially Growing Mouse L Cells 473

Sommerville, J., Ribonucleoprotein Particles derived from the Lampbrush Chromosomes of Newt Oocytes 487

Stevens, R. H. and Williamson, A. R., Translational Control of Immunoglobulin Synthesis. I. Repression of Heavy Chain Synthesis 505

Stevens, R. H. and Williamson, A. R., Translational Control of Immunoglobulin Synthesis. II. Cell-free Interaction of Myeloma Immunoglobulin with Messenger RNA 517

Miller, R. V. and Sypherd, P. S., Chemical and Enzymatic Modification of Proteins in the 30 S Ribosome of *Escherichia coli* 527

Miller, R. V. and Sypherd, P. S., Topography of the *Escherichia coli* 30 S Ribosome revealed by the Modification of Ribosomal Proteins . . . 539

Steitz, T. A., Fletterick, R. J. and Hwang, K. J., Structure of Yeast Hexokinase. II. A 6 Å Resolution Electron Density Map showing Molecular Shape and Heterologous Interaction of Subunits 551

Letters to the Editor:

Chang, F. N., Conformational Changes in Ribosomal Subunits following Dissociation of the *Escherichia coli* 70 S Ribosome 563

Solomon, F., Monard, D. and Rentsch, M., Stabilization of Colchicine-binding Activity of Neuroblastoma 569

Matthews, B. W., Dahlquist, F. W. and Maynard, A. Y., Crystallographic Data for Lysozyme from Bacteriophage T4. 575

Minkley, E. G., Jr, Functional Form of RNA Synthesis Termination Factor Rho 577

Hoppe, W., The Label Triangulation Method and the Mixed Isomorphous Replacement Principle 581

Announcements 587

Number 4, 25 August 1973

Allet, B., Katagiri, K. J. and Gesteland, R. F., Characterization of Polypeptides made *in vitro* from Bacteriophage Lambda DNA . . . 589

Gordon, C. N., On the Molecular Length of the Replicative Form DNA of Bacteriophage ϕX174. 601

Semancik, J. S., Vidaver, A. K. and van Etten, J. L., Characterization of a Segmented Double-helical RNA from Bacteriophage ϕ6 617

Dahlberg, A. E., Lund, E. and Kjeldgaard, N. O., Some Effects of Antibiotics on Bacterial Polyribosomes as studied by Gel Electrophoresis . 627

Butler, P. J. G. and Finch, J. T., Structures and Roles of the Polymorphic Forms of Tobacco Mosaic Virus Protein. VII. Lengths of the Growing Rods during Assembly into Nucleoprotein with the Viral RNA . . . 637

Shih, C. T. and Craven, G. R., Identification of Neighbor Relationships among Proteins in the 30 S Ribosome: Intermolecular Cross-linkage of Three Proteins induced by Tetranitromethane 651

Hackert, M. L., Ford, G. C. and Rossmann, M. G., Molecular Orientation and Position of the Pig M_4 and H_4 Isoenzymes of Lactate Dehydrogenase in their Crystal Cells 665

Ramakrishnan, T. and Echols, H., Purification and Properties of M Protein: an Accessory Factor for RNA Polymerase 675

Kerbiriou, D. and Hervé, G., An Aspartate Transcarbamylase lacking Catalytic Subunit Interactions. II. Regulatory Subunits are responsible for the Lack of Co-operative Interactions between Catalytic Sites. Drastic Feedback Inhibition does not restore these Interactions . . . 687

Richardson, J. P., Mechanism of Ethidium Bromide Inhibition of RNA Polymerase 703

Letters to the Editor

Richardson, J. P. and Parker, S. R., Effect of Ethidium Bromide on Transcription of Linear and Circular DNA Templates . . . 715

Adams, A. D., Adams, M. J., Rossmann, M. G. and Goldberg, E., A Crystalline Form of Testes-specific Lactate Dehydrogenase . . 721

Index to Volume 78

Acceptor-site binding activity, association with a protein fraction of the 60 S subunit from reticulocyte ribosomes, 123

Adams, A. D., Adams, M. J., Rossman, M. G., & Goldberg, E., A crystalline form of testes-specific lactate dehydrogenase, 721

Adams, M. J. (see also Adams, A. D.), 721

Adenosine triphosphate stimulation of an isolated DNA polymerase fraction active with single-strand DNA, 229

Allet, B., Katagiri, K. J. & Gesteland, R. F., Characterization of polypeptides made *in vitro* from bacteriophage lambda DNA, 589

Amber mutant of iso-1-cytochrome c in yeast, tyrosine substitutions resulting from suppression, 157

Antibiotics, some effects on bacterial polyribosomes studied by electrophoresis, 627

Aspartate transcarbamylase lacking catalytic subunit interactions, 687

Attardi, G. (see also Lederman, M.), 275

Bacterial conjugation, DNA synthesis, 427, 443

— polyribosomes, some effects of antibiotics studied by electrophoresis, 627

Bacteriophage λ DNA, characterization of polypeptides made *in vitro*, 589

— λh80d*glyTsu* $^{+}_{36}$, physical mapping of tRNA genes, 23

—, mode of DNA packing within heads, 255

— ϕ6, characterization of a segmented double-helical RNA, 617

— ϕ80hp*su* $^{+}_{III}$, tRNA gene mapping by electron microscopy of hybrids of ferritin-labelled tRNA and DNA, 1

— ϕX174, molecular length of replicative form DNA, 601

— —, replicating, *in vivo* methylation of DNA, 417

— T4, crystallographic data for lysozyme, 575

Balazs, E. A. (see also Chakrabarti, B.), 135

Beck, C., Ingraham, J., Maaløe, O. & Neuhard, J., Relationship between the concentration of nucleoside triphosphates and the rate of synthesis of RNA, 117

Brown, D. D. & Sugimoto, K., 5 S DNAs of *Xenopus laevis* and *Xenopus mulleri*: evolution of a gene family, 397

Butler, P. J. G. & Finch, J. T., Structures and roles of the polymorphic forms of tobacco mosaic virus protein. VII. Lengths of the growing rods during assembly into nucleoprotein with the viral RNA, 637

Calendar, R. (see also Richards, K. E.), 255

Carbon, J. (see also Wu, M.), 23

Chakrabarti, B. & Balazs, E. A., Optical properties of hyaluronic acid. Ultraviolet circular dichroism and optical rotatory dispersion, 135

Chang, F. N., Conformational changes in ribosomal subunits following dissociation of the *Escherichia coli* 70 S ribosome, 563

Cheevers, W. P. & Hiscock, J. B., DNA synthesis in polyoma virus infection. II Relationship between viral DNA replication and initiation of cellular DNA replicons, 237

Cheng, T.-C. & McAllister, H. C., A protein fraction of the 60 S subunit from reticulocyte ribosomes associated with acceptor-site binding activity, 123

Chromosome replication relationship to F′ *lac* episome replication in *Escherichia coli*, 143

Cleavage map of the Simian virus 40 genome, 363

Colchicine-binding activity of neuroblastoma, stabilization, 569

Coliphage f1 single-stranded DNA synthesis regulation by a DNA-binding protein, 285

Collins, J. & Pritchard, R. H., Relationship between chromosome replication and F′ *lac* episome replication in *Escherichia coli*, 143

Conformational changes in the ribosomal subunit following dissociation of the *Escherichia coli* 70 S ribosome, 563
Cordeiro, M. & Meneghini, R., The rate of DNA replication in the polytene chromosomes of *Rhynchosciara angelae*, 261
Craven, G. R. (see also Shih, C. T.), 651
Cross-linkage, intermolecular, of three proteins in the 30 S ribosome induced by tetranitromethane, 651
Crothers, D. M. (see also Gralla, J.), 301
Crystallographic data for lysozyme from bacteriophage T4, 575
Crystalline form of testes-specific lactate dehydrogenase, 721
Cytoplasmic and nuclear protein transfer between cells in culture, 197
— membrane-associated DNA, physical properties, 43

Dahlberg, A. E., Lund, E. & Kjeldgaard, N. O., Some effects of antibiotics on bacterial polyribosomes as studied by gel electrophoresis, 627
Dahlquist, F. W. (see also Matthews, B. W.), 575
Danna, K. J. (see also Khoury, G.), 377
Danna, K. J., Sack, G. H., Jr & Nathans, D., Studies of Simian virus 40 DNA. VII. A cleavage map of the SV40 genome, 363
Davidson, N. (see also Wu, M.), 1, 23, 35
Dehydrogenase, crystalline form of testes-specific lactate dehydrogenase, 721
Deoxyribonucleic acid and tRNA, ferritin-labeled, tRNA gene mapping technique by electron microscopy of hybrids, the ϕ80hp*su*$^{+}_{III}$$^{-}$ system, 1
Deoxyribonucleic acid of bacteriophage ϕX174, molecular length of replicative form, 601
— —, characterization of polypeptides made *in vitro* from bacteriophage λ, 589
— —, condensates at low pH values, electron microscope observation, 391
— —, cytoplasmic, membrane-associated, physical properties, 43
— —, enzymatic end-to-end joining of molecules, 453
— —, mode of packing within bacteriophage heads, 255
— — polymerase, isolation of a fraction active with single-strand DNA and stimulated by ATP, 229
— — of polyoma virus, relationship between viral DNA replication and initiation of cellular DNA replicons, 237
— —, purified, regular superstructures in ethanolic solutions, 247
— — of replicating bacteriophage ϕX174, *in vivo* methylation, 417
— — replication in *Escherichia coli* Hfr, effect of mating, 427
— — — — the *Escherichia coli* Hfr, whether it is obligatory for chromosome transfer, 443
— — — rate in the polytene chromosome of *Rhynchosciara angelae*, 261
— —, single-stranded of coliphage f1, synthesis regulation by a DNA-binding protein, 285
— — of Simian virus 40, cleavage map of the genome, 363
— — templates, linear and circular, effect of ethidium bromide on their transcription, 715
Deoxyribonucleic acids, 5 S, of *Xenopus laevis* and *Xenopus mulleri*, ovulation of a gene family, 397
Dore, E., Frontali, C. & Notargiacomo, S., Electron microscopic observation of DNA condensates at low pH values, 391

Echols, H. (see also Ramakrishnan, T.), 675
Eletr, S., Zakim, D. & Vessey, D. A., A spin-label study of the role of phospholipids in the regulation of membrane-bound microsomal enzymes, 351
Electron density map at 6 Å resolution of yeast hexokinase, 551
— microscopic observation of DNA condensates at low pH values, 391
— microscopy of hybrids of ferritin-labeled tRNA and DNA used in tRNA gene mapping technique, the ϕ80hp*su*$^{+}_{III}$$^{-}$ system, 1
Electrophoretic properties of the products of *in vivo* and *in vitro* mitochondrial protein synthesis in HeLa cells, 275
— study of some effects of antibiotics on bacterial polyribosomes, 627
Episome replication, relationship between chromosome and F′ *lac* replication in *Escherichia coli*, 143
Escherichia coli, chemical and enzymatic modification of proteins in the 30 S ribosome, 527
— — Hfr, effect of mating on DNA, 427
— — murein growth pattern, 185
— —, relationship between chromosome replication and F′ *lac* episome replication, 143
— —, replication of a specific terminal chromosome segment which is required for cell division, 211
— — 70 S ribosome dissociation, conformational changes in the ribosomal subunit, 563
— — 30 S ribosome topography by modification of ribosomal proteins, 539

Ethanolic solution of purified DNA, regular superstructure, 247
Ethidium bromide, effect on transcription of linear and circular DNA templates, 715
— —, mechanism of inhibition of RNA polymerase, 703
— — used as a probe during studies on the mitochondrial genome of petite mutants of yeast, 335
Evolution of tRNA, 91

F′ *lac* episome replication in *Escherichia coli*, relationship to chromosome replication, 143
f1 (see Coliphage), 285
Ferritin-labeled tRNA and DNA hybrid electron microscopy used in tRNA gene mapping technique, the $\phi 80 hps u^{+}_{III}{}^{-}$ system, 1
Finch, J. T. (see also Butler, P. J. G.), 637
Fletterick, R. J. (see also Steitz, T. A.), 551
Ford, G. C. (see also Hackert, M. L.), 665
Free energy of imperfect nucleic acid helices, corrections to the all-or-none approximations, 316
— — — — — — —, small internal loops resulting from mismatches, 301
Frontali, C. (see also Dore, E.), 391

Gesteland, R. F. (see also Allet, B.), 589
Gingold, E. B. (see also Nagley, P.), 335
Goldberg, E. (see also Adams, A. D.), 721
Goldstein, D. A. (see also Meinke, W.), 43
Gordon, C. N., On the molecular length of the replicative form DNA of bacteriophage ϕX174, 601
Gralla, J. & Crothers, D. M., Free energy of imperfect nucleic acid helices. III. Small internal loops resulting from mismatches, 301

Hackert, M. L., Ford, G. C. & Rossmann, M. G., Molecular orientation and position of the pig M_4 and H_4 isoenzymes of lactate dehydrogenase in their crystal cells, 665
Hall, M. R. (see also Meinke, W.), 43
Heavy chain synthesis repression in immunoglobulin, 505
HeLa cell mRNA, kinetics of formation and decay, 321
— cells, electrophoretic properties of the products of *in vivo* and *in vitro* mitochondrial protein synthesis, 275
Hervé, G. (see also Kerbiriou, D.), 687
Hexokinase, yeast, 6 Å resolution electron density map, 551
Hilbers, C. W. (see also Shulman, R. G.), 57
Hirota, Y. (see also Ryter, A.), 185
Hiscock, J. B. (see also Cheevers, W. P.), 237
Holmquist, R., Jukes, T. H. & Pangburn, S., Evolution of transfer RNA, 91
Hoppe, W., The label triangulation method and the mixed isomorphous replacement principle, 581
Hwang, K. J. (see also Steitz, T. A.), 551
Hyaluronic acid, optical properties, 135

Immunoglobulin, myeloma, cell-free interaction with mRNA, 517
— synthesis translational control, repression of heavy chain synthesis, 505
Ingraham, J. (see also Beck, C.), 117
Initiation of cellular DNA replicons in polyoma virus, relationship to viral DNA replication, 237
Intermolecular cross-linkage of three proteins in the 30 S ribosome induced by tetranitromethane, 651
Isoenzymes M_4 and H_4 of pig lactate dehydrogenase, molecular orientation and position in their crystal cells, 665
Iso-1-cytochrome *c* in yeast, tyrosine substitutions resulting from suppression of amber mutants, 157
— -— - — — of bakers' yeast, amino acid replacements of glutamic acid 71 confirming UAG as a nonsense codon, 169
Isomorphous replacement, mixed, principle and the triangulation method, 581

Jackson, M. (see also Sherman, F.), 157
Jukes, T. H. (see also Holmquist, R.), 91

Kaiser, A. D. (see also Lobban, P. E.), 453
Katagiri, K. J. (see also Allet, B.), 589
Kearns, D. R. (see also Lightfoot, D. R.), 71
— (see also Shulman R. G.), 57
Kerbiriou, D. & Hervé, G., An aspartate transcarbamylase lacking catalytic subunit interactions. II. Regulatory subunits are responsible for the lack of co-operative interactions between catalytic sites. Drastic feedback inhibition does not restore these interactions, 687
Khoury, G., Martin, M. A., Lee, T. N. H., Danna, K. J. & Nathans, D., A map of Simian virus 40 transcription sites expressed in productively infected cells, 377
Kidwell, W. R. (see also Wittes, R. E.), 473
Kinetic determination of the S phase pool size of thymidine triphosphate in exponentially growing mouse L cells, 473
Kinetics of formation and decay of mRNA in HeLa cells, 321
Kjeldgaard, N. O. (see also Dahlberg, A. E.), 627
Kohiyama, M. (see also Milewski, E.), 229
Kohne, D. E. (see also Meinke, W.), 43
Kolodny, G. M., Transfer of cytoplasmic and nuclear proteins between cells in culture, 197

L cells of mouse, exponentially growing, kinetic determination of the S phase pool size of thymidine triphosphate, 473
λ (see Bacteriophage), 589
λh80d*glyTsu*$_{3^6}^{+}$ (see Bacteriophage), 23
Label triangulation method and the mixed isomorphous replacement principle, 581
Lactate dehydrogenase, pig, molecular orientation and position of the isoenzymes M_4 and H_4 in their crystal cells, 665
— —, testes-specific, crystalline form, 721
Lampbrush chromosome of newt oocytes, ribonucleoprotein particles, 487
Lang, D., Regular superstructures of purified DNA in ethanolic solutions, 247
Lederman, M. & Attardi, G., Expression of the mitochondrial genome in HeLa cells. XVI. Electrophoretic properties of the products of *in vivo* and *in vitro* mitochondrial protein synthesis, 275
Lee, T. N. H. (see also Khoury, G.), 377
Lerner, R. A. (see also Meinke, W.), 43
Liebman, S. W. (see also Sherman, F.), 157
Lightfoot, D. R., Wong, K. L., Kearns, D. R., Reid, B. R. & Shulman, R. G., Assignment of the low field proton nuclear magnetic resonance spectrum of yeast phenylalanine transfer RNA to specific base pairs, 71
Linnane, A. W. (see also Nagley, P.), 335
Lobban, P. E. & Kaiser, A. D., Enzymatic end-to-end joining of DNA molecules, 453
Lukins, H. B. (see also Nagley, P.), 335
Lund, E. (see also Dahlberg, A. E.), 627
Lysozyme crystallographic data from bacteriophage T4, 575

M protein, an accessory factor for RNA polymerase, purification and properties, 675
Maaløe, O. (see also Beck, C.), 117
Martin, M. A. (see also Khoury, G.), 377
Marunouchi, T. & Messer, W., Replication of a specific terminal chromosome segment in *Escherichia coli* which is required for cell division, 211
Matthews, B. W., Dahlquist, R. W. & Maynard, A. Y., Crystallographic data for lysozyme from bacteriophage T4, 575
Maynard, A. Y. (see also Matthews, B. W.), 575
Mazur, B. J. & Model, P., Regulation of coliphage f1 single-stranded DNA synthesis by a DNA-binding protein, 285
McAllister, H. C. (see also Cheng, T.-C.), 123
Meinke, W., Hall, M. R., Goldstein, D. A., Kohne, D. E. & Lerner, R. A., Physical properties of cytoplasmic membrane-associated DNA, 43
Meneghini, R. (see also Cordeiro, M.), 261
Messenger RNA and myeloma immunoglobulin, cell-free interaction, 517
— — in HeLa cells, kinetics of formation and decay, 321
Messer, W. (see also Marunouchi, T.), 211
Methylation *in vivo* of replicating bacteriophage ϕX174 DNA, 417

Microsomal enzymes, membrane-bound, spin-label study of the role of phospholipids in their regulation, 351
Milewski, E. & Kohiyama, M., Isolation of a DNA polymerase fraction active with single-strand DNA and stimulated by ATP, 229
Miller, R. V. & Sypherd, P. S., Chemical and enzymatic modification of proteins in the 30 S ribosome of *Escherichia coli*, 527
— — — Topography of the *Escherichia coli* 30 S ribosome revealed by the modification of ribosomal proteins, 539
Minkley, E. G., Jr, Functional form of RNA synthesis termination factor rho, 577
Mitochondrial genomes of petite mutants of yeast using ethidium bromide as a probe, 335
— protein synthesis in HeLa cells, electrophoretic properties of *in vivo* and *in vitro* synthesis, 275
Model, P. (see also Mazur, B. J.), 285
Monard, D. (see also Solomon, F.), 569
Mouse L cells, exponentially growing, kinetic determination of the S phase pool size of thymidine triphosphate, 473
Murein (see *Escherichia coli*), 185
Myeloma immunoglobulin and mRNA, cell-free interaction, 517

Nagley, P., Gingold, E. B., Lukins, H. B. & Linnane, A. W., Biogenesis of mitochondria. XXV. Studies on the mitochondrial genomes of petite mutants of yeast using ethidium bromide as a probe, 335
Nathans, D. (see also Danna, K. J.), 363
— (see also Khoury, G.), 377
Neuhard, J. (see also Beck, C.), 117
Neuroblastoma, stabilization of colchicine-binding activity, 569
Newt oocytes, ribonucleoprotein particles derived from the lampbrush chromosome, 487
Nonsense codon UAG in bakers' yeast, conformation by amino acid replacements of glutamic acid 71 in iso-1-cytochrome *c*, 169
Notargiacomo, S. (see also Dore, E.), 391
Nuclear and cytoplasmic protein transfer between cells in culture, 197
— magnetic resonance, assignment of the low field proton NMR spectrum of yeast phenylalanine tRNA to specific base pairs, 71
— — —, ring-current shifts in the 300 MHz NMR spectra of six purified tRNA molecules, 57
Nucleic acid, free energy of imperfect helices, corrections to the all-or-none approximation, 316
— — helices, imperfect, small internal loops resulting from mismatches, 301
Nucleoprotein, lengths of the growing rods during assembly with the viral RNA in polymorphic forms of tobacco mosaic virus, 637
Nucleotide triphosphates, relationship between concentration and rate of synthesis of RNA, 117

Oocytes of newt, ribonucleoprotein particles derived from the lampbrush chromosome, 487
Optical rotatory dispersion of hyaluronic acid, 135

ϕ6 (see Bacteriophage), 617
ϕ80hpsu^{+}_{III} (see Bacteriophage), 1
ϕX174 (see Bacteriophage), 417
ϕX174 (see Bacteriophage), 601
Pangburn, S. (see also Holmquist, R.), 91
Parker, S. R. (see also Richardson, J. P.), 715
Penman, S. (see also Singer, R. H.), 321
Petite mutants of yeast, studies on the mitochondrial genomes using ethidium bromide as a probe, 335
Phenylalanine tRNA of yeast, assignment of the low-field proton NMR spectrum to specific base pairs, 71
Phospholipids in the regulation of membrane-bound microsomal enzymes, spin-label study, 351
Pig M_4 and H_4 isoenzymes of lactate dehydrogenase, molecular orientation and position in their crystal cells, 665
Polymerase for DNA, isolation of a fraction active with single-strand DNA and stimulated by ATP, 229
— — —, mechanism of inhibition by ethidium bromide, 703
— — —, purification and properties of M protein, an accessory factor, 675
Polyoma (see Virus), 237
Polypeptides made *in vitro* from bacteriophage λ DNA, characterization, 589

Polyribosomes of bacteria, some effects of antibiotics studied by electrophoresis, 627
Polytene chromosome of *Rhynchosciara angelae*, DNA replication rate, 261
Pritchard, R. H. (see also Collins, J.), 143
Proton nuclear magnetic resonance, low field, of yeast phenylalanine tRNA, assignment to specific base pairs, 71

Ramakrishnan, T. & Echols, H., Purification and properties of M protein: an accessory factor for RNA polymerase, 675
Razin, A., Sedat, J. W. & Sinsheimer, R. L., *In vivo* methylation of replicating bacteriophage ϕX174 DNA, 417
Reid, B. R. (see also Lightfoot, D. R.), 71
— (see also Shulman, R. G.), 57
Rentsch, M. (see also Solomon, F.), 569
Replicating bacteriophage ϕX174 DNA, *in vivo* methylation, 417
Replicative form DNA of bacteriophage ϕX174, molecular length, 601
Replicons, relationship between viral DNA replication and initiation of cellular DNA replicons in polyoma virus, 237
Repression of heavy chain synthesis in immunoglobulin, 505
Reticulocyte ribosomes, protein faction of the 60 S subunit binding activity, 123
Rho (see Termination factor), 577
Rhynchosciara angelae, DNA replication rate in the polytene chromosome, 261
Ribonucleic acid, characterization of a segmented double-helical, from bacteriophage ϕ6, 617
— —, kinetics of formation and decay of mRNA in HeLa cells, 321
— —, messenger and myeloma immunoglobulin, cell-free interaction, 517
— —, physical mapping of tRNA genes on λh80d*glyTsu*$^{+}_{36}$, 23
— — polymerase, mechanism of inhibition by ethidium bromide, 703
— — —, purification and properties of M protein, an accessory factor, 675
— —, secondary structure in tRNA genes, 35
— — synthesis rate and nucleotide triphosphate concentration, relationship, 117
— — — termination factor rho, functional form, 577
— —, transfer, evolution, 91
— —, — for phenylalanine of yeast, assignment of the low-field proton NMR spectrum to specific base pairs, 71
— —, —, ring-current shifts in the 300 MHz NMR spectra of six purified molecules, 57
— —, tRNA gene mapping by electron microscopy of hybrids of ferritin-labeled tRNA and DNA, the ϕ80hp*su*$^{+}_{II}$$^{-}$ system, 1
— —, viral, length of the growing rods during assembly into nucleoprotein in polymorphic forms of tobacco mosaic virus, 637
Ribonucleoprotein particles derived from the lampbrush chromosome of newt oocytes, 487
Ribosomal subunit conformational changes following dissociation of the *Escherichia coli* 70 S ribosome, 563
Ribosome, chemical and enzymatic modification of proteins in the 30 S ribosome of *Escherichia coli*, 527
—, 30 S, intermolecular cross-linkage of three proteins induced by tetranitromethane, 651
—, —, topography by modification of ribosomal proteins in *Escherichia coli*, 539
—, reticulocyte, protein fraction of the 60 S subunit associated with acceptor-site binding activity, 123
Richards, K. E., Williams, R. C. & Calendar, R., Mode of DNA packing within bacteriophage heads, 255
Richardson, J. P., Mechanism of ethidium bromide inhibition of RNA polymerase, 703
— & Parker, S. R., Effect of ethidium bromide on transcription of linear and circular DNA templates, 715
Ring-current shifts in the 300 MHz NMR spectra of six purified tRNA molecules, 57
Rossmann, M. G. (see also Adams, A. D.), 721
— (see also Hackert, M. L.), 665
Ryter, A., Hirota, Y. & Schwarz, U., Process of cellular division in *Escherichia coli* growth pattern of *E. coli* murein, 185

S phase pool size of thymidine triphosphate in exponentially growing L cells, kinetic determination, 473
Sack, G. H., Jr (see also Danna, K. J.), 363
Sarathy, P. V. & Siddiqi, O., DNA synthesis during bacterial conjugation. I. Effect of mating on DNA replication in *Escherichia coli* Hfr, 427
— — — — — — — — —. II. Is DNA replication in the Hfr obligatory for chromosome transfer? 443

Schwarz, U. (see also Ryter, A.), 185
Sedat, J. W. (see also Razin, A.), 417
Segmented double-helical RNA from bacteriophage ϕ6, characterization, 617
Semancik, J. S., Vidaver, A. K. & van Etten, J. L., Characterization of a segmented double-helical RNA from bacteriophage ϕ6, 617
Sherman, F., Liebman, S. W., Stewart, J. W. & Jackson, M., Tyrosine substitutions resulting from suppression of amber mutants of iso-1-cytochrome c in yeast, 157
— (see also Stewart, J. W.), 169
Shih, C. T., & Craven, G. R., Identification of neighbour relationships among proteins in the 30 S ribosome: intermolecular cross-linkage of three proteins induced by tetranitromethane, 651
Shulman, R. G., Hilbers, C. W., Kearns, D. R., Reid, B. R. & Wong, Y. P., Ring-current shifts in the 300 MHz nuclear magnetic resonance spectra of six purified transfer RNA molecules, 57
— (see also Lightfoot, D. R.), 71
Siddiqi, O. (see also Sarathy, P. V.), 427, 443
Simian virus (see Virus), 363, 377
Singer, R. H. & Penman, S., Messenger RNA in HeLa cells: kinetics of formation and decay, 321
Sinsheimer, R. L. (see also Razin, A.), 417
Solomon, F., Monard, D. & Rentsch, M., Stabilization of colchicine-binding activity of neuroblastoma, 569
Sommerville, J., Ribonucleoprotein particles derived from the lampbrush chromosomes of newt oocytes, 487
Spin-label study of the role of phospholipids in the regulation of membrane-bound microsomal enzymes, 351
Steitz, T. A., Fletterick, R. J. & Hwang, J. K., Structure of yeast hexokinase. II. A 6 Å resolution electron density map showing molecular shape and heterologous interaction of subunits, 551
Stevens, R. H., & Williamson, A. R., Translational control of immunoglobulin synthesis. I. Repression of heavy chain synthesis, 505
— — — — — — — — —. II. Cell-free interaction of myeloma immunoglobulin with messenger RNA, 517
Stewart, J. W. & Sherman, F., Confirmation of UAG as a nonsense codon in bakers' yeast by amino acid replacements of glutamic acid 71 in iso-1-cytochrome *c*, 169
— (see also Sherman, F.), 157
Sugimoto, K. (see also Brown, D. D.), 397
Sypherd, P. S. (see also Miller, R. V.), 527, 539

T4 (see Bacteriophage), 575
Termination factor rho for RNA synthesis termination, functional form, 577
Testes-specific lactate dehydrogenase, a crystalline form, 721
Tetranitromethane-induced intermolecular cross-linkage of three proteins in the 30 S ribosome, 651
Thymidine triphosphate, kinetic determination of S phase pool size in exponentially growing mouse L cells, 473
Tobacco mosaic virus (see Virus), 637
Transcarbamylase for aspartate lacking catalytic subunit interactions, 687
Transcription of linear and circular DNA templates, effect of ethidium bromide, 715
— sites map of Simian virus 40 expressed in productively infected cells, 377
Transfer RNA evolution, 91
— — for phenylalanine of yeast, assignment of the low-field proton NMR spectrum to specific base pairs, 71
— — gene secondary structure, 35
— — — mapping by electron microscopy of hybrids of ferritin-labeled tRNA and DNA, the ϕ80hp*su*, $^{+}_{III}$;$^{-}$ system, 1
— — genes on λh80d*glyTsu*$^{+}_{36}$, physical mapping, 23
— —, ring-current shifts in the 300 MHz NMR spectra of six purified molecules, 57
Translational control of immunoglobin synthesis, cell-free interaction of myeloma immunoglobulin with mRNA, 517
— — — — — repression of heavy chain synthesis, 505
Tyrosine substitutions resulting from suppression of amber mutants of iso-1-cytochrome *c* in yeast, 157

Ultraviolet circular dichroism of hyaluronic acid, 135

VAN ETTEN, J. L. (see also SEMANCIK, J. S.), 617
VESSEY, D. A. (see also ELETR, S.), 351
VIDAVER, A. K. (see also SEMANCIK, J. S.), 617
Viral RNA, lengths of the growing rods during assembly into nucleoprotein in polymorphic forms of tobacco mosaic virus, 637
Virus, polymorphic forms of tobacco mosaic, lengths of the growing rods during assembly into nucleoprotein with the viral RNA, 637
— polyoma, relationship between viral DNA replication and initiation of cellular DNA replicons, 237
—, SV40, genome cleavage map, 363
— —, map of transcription sites expressed in productively infected cells, 377

WILLIAMS, R. C. (see also RICHARDS, K. E.), 255
WILLIAMSON, A. R. (see also STEVENS, R. H.), 505, 517
WITTES, R. E. & KIDWELL, W. R., A kinetic approach to the determination of the S phase pool size of thymidine triphosphate in exponentially growing mouse L cells, 473
WONG, K. L. (see also LIGHTFOOT, D. R.), 71
WONG, Y. P. (see also SHULMAN, R. G.), 57
WU, M. & DAVIDSON, N., A technique for mapping transfer RNA genes by electron microscopy of hybrids of ferritin-labeled transfer RNA and DNA: the ϕ80hpsu^{+}_{III} system, 1
— — — Secondary structure in transfer RNA genes, 35
— — & CARBON, J., Physical mapping of the transfer RNA genes on λh80d*glyTsu*$^{+}_{36}$, 23

Xenopus laevis and *Xenopus mulleri* 5 S DNA, 397
X-ray crystallography, molecular orientation and position of the pig M_4 and H_4 isoenzymes of lactate dehydrogenase in their crystal cells, 665

Yeast, bakers', conformation of UAG as a nonsense codon by amino acid replacements of glutamic acid 71 in iso-1-cytochrome *c*, 169
— hexokinase, 6 Å resolution electron density map, 551
— petite mutants, studies on the mitochondrial genomes using ethidium bromide as a probe, 335
— phenylalanine tRNA, assignment of the low-field proton NMR spectrum to specific base pairs, 71

ZAKIM, D. (see also ELETR, S.), 351